FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information

Permit No: F00143185-B **Type of Permit:** FILMING **Release Date:** 10/16/2018

Production Company EFT MEDIA PRODUCTIONS LLC DBA EVOLUTION MEDIA

Insured Company Name EFT MEDIA PRODUCTIONS LLC DBA EVOLUTION MEDIA

Contact Phone No. 1 818-260-0300

Contact Phone No. 2

Fax

Address 3310 W. VANOWEN ST BURBANK, California 91505

Production Title RHBH9

Type of Production TV Reality

Producer James Wiser

Director n/a n/a

1st AD n/a n/a

Production Manager Mohammad Sekandary

FilmL.A. Coordinator Naomi Kajiyama

Location Manager Mohammad Sekandary

Primary Phone Mobile - 949-307-4964

Secondary Phone Office - 818-260-0300

Location Assistant n/a n/a

Primary Phone Mobile - n/a

Secondary Phone

Fees

Notification Charge	$170.00
FILMLA NON-REFUNDABLE FILM PERMIT RIDER FEE	$109.00
CULVER CITY POLICE OFFICER DAILY FEE (WEEKDAYS)	$630.00
CULVER CITY FILMING DAILY USE FEE	$350.00
CULVER CITY APPLICATION FEE	$165.00
CULVER CITY FIRE DEPT SPOT CHECK FEE	$95.00

Total Permit Fee $1,519.00

Number of Locations 1

NOT A PERMIT

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information — Location

Location 1 of 1

Permit Number	F00143185-B	**Location Manager**	Mohammad Sekandary
Production Company	EFT MEDIA PRODUCTIONS LLC DBA ...	Primary Phone	Mobile - 949-307-4964
Insured Company	EFT MEDIA PRODUCTIONS LLC DBA ...	Secondary Phone	Office - 818-260-0300
Production Title	RHBH9		

Location Address 9599 Jefferson Blvd, Culver City, CA, 90232

Location Type Veterinary Clinic

Film Dates 10/17/2018 - 10/17/2018 11:00 - 14:00 1 day

Open or Closed to the Public Open

Generic Conditions
All Vehicles must be parked legally.
CULVER CITY SPOT CHECK- The permittee is responsible for completing the attached Culver City Fire Department Spot Check Form prior to filming activity at this location. The permittee must keep the completed form onsite at all times while filming.
CULVER CITY: Must maintain emergency access
CULVER CITY: Must maintain local/emergency access
Equipment staging and vehicles may park on one side of the street only.
May not interfere with adjacent traffic lanes or adjacent bike lane
Must Maintain 5' Clearance on Sidewalks/Walkways
Must maintain local/emergency access
No cast or crew parking on area streets
No interference with merchant activity.
No interference with vehicular or pedestrian traffic
Number of uniformed officers listed on the permit is a minimum requirement. Permittee remains responsible for deploying a sufficient number of uniformed officers to provide traffic and crowd control to ensure the safety of the film crew and the public.

Please see attached document SpotCheck CCFD.pdf

Equipment on Location

Type	Quantity
Vans	2

Personnel on Location

Type	Quantity
Cast	2
Crew	8
Culver City Police Officer	1
Culver City Spot Check	1

Filming Activities Camera on sticks; Equipment on property; Equipment on sidewalk only.; Exterior establishing shots; Handheld equipment; Interior and exterior dialogue; Drive ups &

NOT A PERMIT

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information — Location

Permit Number	F00143185-B	**Location Manager**	Mohammad Sekandary
Production Company	EFT MEDIA PRODUCTIONS LLC DBA ...	Primary Phone	Mobile - 949-307-4964
Insured Company	EFT MEDIA PRODUCTIONS LLC DBA ...	Secondary Phone	Office - 818-260-0300
Production Title	RHBH9		

away in parking lot;

Jurisdiction **Political:** Culver City **Police:** Culver City Police Department **Fire:** Culver City Fire Department

Approvals CULVER CITY FIRE DEPARTMENT — Thomas MacTavish
CULVER CITY POLICE DEPARTMENT — Sergeant Brandon Vanscoy

Coordinator Note Rider B adds and releases location; collects notification and Culver City fees

Parking

Base Camp
Location Type : Filming Location

Crew Parking
Location Type : Filming Location

NOT A PERMIT

Permit #F00143185-B

FIRE DEPARTMENT

(310) 253-5925
CRR

FAX (310) 253-5937
CRR

DAVID L. WHITE
Fire Chief

9770 CULVER BOULEVARD, CULVER CITY, CALIFORNIA 90232-0507

MICHAEL NAGY
Fire Marshal

COMMUNITY RISK REDUCTION

LOCATION FILMING SPOT CHECK

FilmLA Permit #:	**Date of Filming:**
Production Name	**Location Address:**

Instructions: Complete checklist each day before the start of filming. If a "NO" is indicated on any line item below, halt filming, correct and document corrective action under "CORRECTIVE ACTION TAKEN" before the continuation of filming. A hard copy of this document SHALL be completed and readily available on location for Culver City Fire Dept. Inspector review

ACCESS AND PARKING		**YES**	**NO**	**N/A**
1.	Fire department vehicle access maintained (20' width minimum)			
2.	Fire hydrants, fire sprinklers, standpipe and FDC unobstructed (3' minimum)			
3.	Vehicles not obstructing exit doors			
4.	Designated location for Special Effects vehicles			
5.	Vehicles parked minimum 20' from all tents			

Corrective Actions Taken:

EXITING		**YES**	**NO**	**N/A**
1.	All exits kept clear and unobstructed			
2.	Exit signs are provided and visible			
3.	Exit pathway illumination provided and operational			
4.	No hazardous or ignitable material stored in exit pathways			
5.	Minimum 3' aisles and 4' perimeter aisles in Approved Production Facilities			

Corrective Actions Taken:

ELECTRICAL AND LIGHTING		**YES**	**NO**	**N/A**
1.	All cords, cables, boxes, fixtures and appliances are in good condition			
2.	Cables properly protected			
3.	Cables flown or bridged crossing exit pathways and paths of travel			
4.	Electrical panels unobstructed and secured with dead fronts			
5.	All combustible material kept clear of light fixtures			

Corrective Actions Taken:

NOT A PERMIT

Culver City Employees take pride in effectively providing the highest levels of service to enrich the quality of life for the community by building on our tradition of more than ninety-five years of public service, by our present commitment, and by our dedication to meet the challenges of the future.

Revised 06/2018

FIRE PROTECTION EQUIPMENT/ FIRE ALARM		YES	NO	N/A
1.	Fire extinguishers charged, tagged and readily available			
2.	40 B-C extinguisher provided for generator and kitchen area			
3.	Sprinkler system riser and sprinkler heads are unobstructed			
4.	Proper extinguisher provided for type of special event			
5.	Fire alarm placed on "TEST" with monitoring company and Fire Dept.			
Corrective Actions Taken:				

GENERATORS		YES	NO	N/A
1.	Generators parked in approved location and attended while operating			
2.	Generator free of leaks and not refueled while operating			
Corrective Actions Taken:				

TENTS/SMOKING CONTROL		YES	NO	N/A
1.	Tents greater than 400 square feet need additional tent permit from CCFD			
2.	All tents must be properly secure, have posted exit signs and bear the proper flame retardant material with CSFM logo			
3.	"No Smoking" signs posted and enforced within tents			
4.	No interior smoking permitted			
Corrective Actions Taken:				

FLAMMABLE MATERIAL/ HEATING APPLIANCES		YES	NO	N/A
1.	Flammable gases and liquids are stored in approved containers, locations and identified			
2.	No refueling of vehicles or equipment while operating			
3.	LPG tanks are stored outside			
4.	LPG-fueled appliances not allowed without separate FD permit			
5.	Adequate clearance maintained between appliances and combustible material			
6	Flammable material are stored >25ft from any flame source			
Corrective Actions Taken:				

FALIURE TO COMPLY WITH REQUIERMENTS MAY RESULT IN THE ISSUANCE OF A FIRE SAFETY OFFICER AND/OR THE REVOCATION OF FILMING PERMIT

Name:	**Phone:**
Signature:	**Title:**
Inspector Name:	**Inspector Signature:**

KEEP A HARD COPY OF THIS DOCUMENT ON LOCATION AT ALL TIMES

NOT A PERMIT

Permit #F00143185-B

FIRE DEPARTMENT

(310) 253-5925
CRR

FAX (310) 253-5937
CRR

DAVID L. WHITE
Fire Chief

9770 CULVER BOULEVARD, CULVER CITY, CALIFORNIA 90232-0507

MICHAEL NAGY
Fire Marshal

COMMUNITY RISK REDUCTION

LOCATION FILMING SPOT CHECK

FilmLA Permit #:	**Date of Filming:**
Production Name	**Location Address:**

Instructions: Complete checklist each day before the start of filming. If a "NO" is indicated on any line item below, halt filming, correct and document corrective action under "CORRECTIVE ACTION TAKEN" before the continuation of filming. A hard copy of this document SHALL be completed and readily available on location for Culver City Fire Dept. Inspector review

ACCESS AND PARKING		**YES**	**NO**	**N/A**
1.	Fire department vehicle access maintained (20' width minimum)			
2.	Fire hydrants, fire sprinklers, standpipe and FDC unobstructed (3' minimum)			
3.	Vehicles not obstructing exit doors			
4.	Designated location for Special Effects vehicles			
5.	Vehicles parked minimum 20' from all tents			

Corrective Actions Taken:

EXITING		**YES**	**NO**	**N/A**
1.	All exits kept clear and unobstructed			
2.	Exit signs are provided and visible			
3.	Exit pathway illumination provided and operational			
4.	No hazardous or ignitable material stored in exit pathways			
5.	Minimum 3' aisles and 4' perimeter aisles in Approved Production Facilities			

Corrective Actions Taken:

ELECTRICAL AND LIGHTING		**YES**	**NO**	**N/A**
1.	All cords, cables, boxes, fixtures and appliances are in good condition			
2.	Cables properly protected			
3.	Cables flown or bridged crossing exit pathways and paths of travel			
4.	Electrical panels unobstructed and secured with dead fronts			
5.	All combustible material kept clear of light fixtures			

Corrective Actions Taken:

NOT A PERMIT

Culver City Employees take pride in effectively providing the highest levels of service to enrich the quality of life for the community by building on our tradition of more than ninety-five years of public service, by our present commitment, and by our dedication to meet the challenges of the future.

Revised 06/2018

FIRE PROTECTION EQUIPMENT/ FIRE ALARM		YES	NO	N/A
1.	Fire extinguishers charged, tagged and readily available			
2.	40 B-C extinguisher provided for generator and kitchen area			
3.	Sprinkler system riser and sprinkler heads are unobstructed			
4.	Proper extinguisher provided for type of special event			
5.	Fire alarm placed on "TEST" with monitoring company and Fire Dept.			
Corrective Actions Taken:				

GENERATORS		YES	NO	N/A
1.	Generators parked in approved location and attended while operating			
2.	Generator free of leaks and not refueled while operating			
Corrective Actions Taken:				

TENTS/SMOKING CONTROL		YES	NO	N/A
1.	Tents greater than 400 square feet need additional tent permit from CCFD			
2.	All tents must be properly secure, have posted exit signs and bear the proper flame retardant material with CSFM logo			
3.	"No Smoking" signs posted and enforced within tents			
4.	No interior smoking permitted			
Corrective Actions Taken:				

FLAMMABLE MATERIAL/ HEATING APPLIANCES		YES	NO	N/A
1.	Flammable gases and liquids are stored in approved containers, locations and identified			
2.	No refueling of vehicles or equipment while operating			
3.	LPG tanks are stored outside			
4.	LPG-fueled appliances not allowed without separate FD permit			
5.	Adequate clearance maintained between appliances and combustible material			
6	Flammable material are stored >25ft from any flame source			
Corrective Actions Taken:				

FALIURE TO COMPLY WITH REQUIERMENTS MAY RESULT IN THE ISSUANCE OF A FIRE SAFETY OFFICER AND/OR THE REVOCATION OF FILMING PERMIT

Name:	**Phone:**
Signature:	**Title:**
Inspector Name:	**Inspector Signature:**

KEEP A HARD COPY OF THIS DOCUMENT ON LOCATION AT ALL TIMES

NOT A PERMIT